## LaserMedia

August 21, 2000

4 2 9 6 \*00 AUS 24 P2 :29 6383 Anzona Circle Los Angeles, CA 90045

6383 Arizona Circle

Tel: 310-338-9200 Fax: 310-338-9221

Mr. Manuel Karos Light Products Branch (HFZ-342) Division of Standards Enforcement FDA/CDRH/OC 2098 Gaither Rd. Rockville, MD 20850

Ph: 301-594-4654 Fax: 301-594-4672

RE: Response To Miner Mike's FDA Inspection By Dennis Butcher

Dear Mr. Karos:

Per our telephone conversation I am sending you a written response to Mr. Butchers observations during an inspection of our Laser Display at Miner Mike's Fun center.

1. Observation: Applicable variance (78P-0148) does not describe Nd:YAG as a testing media for use.

Response: Please refer to the enclosed copy of our variance renewal application dated January 29, 1998. As you can see we have added the Yag laser to our list of testing media and submitted it along with the application for renewal. Please update our variance to reflect the addition.

18P-0148

AMD 6

### DEPARATMENT OF HEALTH AND HUMAN SERVICES PUBLIC HEALTH SERVICE

# FROM 21 CFR 1040.11(c) FOR A LASER LIGHT SHOW, DISPLAY.

formation (Mary August M., 1988) DOCKET NUMBER

FOOD AND DURG ADMINISTRATION	CASC	OR DEVICE	78P-0148	
NOTE: No laser light show, projection system, or device application in accordance with 21 CFR 1010.4,	e may vary from com	pliance with 21 CFR 1040.11	(c) in design or use without the approval of	this
Check all applicable boses and type or print the requesitiformation.     Submit an original and four (4) copies.	INSTRU	3. Mail your application to the	Dockets Managem on Branch (HFA-M5), Food : 4-62, 5600 Fishers Lane, Rockville, MD 20857, actional	and
1. NAME OF COMPANY LASER MEDIA INC.		- Enter poeument primary in	assynia.	
2. ADDRESS OF COMPANY (Include ZIP CODE) (II P.O. HOVE INF. 6383 ARIZONA CIRCLE, LOS ANGELES,		N ober.}		
3. NAME AND TITLE OF RESPONSIBLE PERSON RUDI BLONDIA, DIRECTOR OF ENGINN		HONE NO. (In take area code) -338-9200	5. DATE OF SUBMISSION 1/29/98	
6. The applicant requests the variance to be in effect for a period. The graceal, the Accepts will approve a variance for mile two syme, If a				
7.	PRODUCT DESCI	RIPTION AND USE		
3. LIST NAME ANDIOR MODEL NUMBERIS) FOR THE LASER L CHROMARAY (LM SINGLE, LM DUAL S	GHT SHOWIS) AND PROJ CAN), STINGRA	ECTOR(S) LMT, FIRBER Y, LIGHT SHOW PRO	RAY, DISCORAY, LM4-LM16, I	MS,
b. PRODUCT FOR WHICH A VARIANCE IS REQUESTED  A LASER DISPLAY DEVICE  A PROJECTOR FOR A LASER LIGHT SHOW  A LASER LIGHT SHOW  OTHER (Sparter) BILLBOARDS  DESCRIPTION BILLBOARDS  DESCRIPTION ARE INTENDED FOR SALE, LEASE, OR LASER LIGHT SHOW PRODUCERS  DESCRIPTION OR OTHER DOME PROJECTION STRUCK  THEATER  HOTELMOTEL BALLHOOM OR MEETING ROOM  STORE DISPLAYS  TRADE SHOW OR CONVENTION  DISCOTHEOUE OR NIGHT CLUB  PAVILION  INDOOR ARENA  DUTDOOR ARENA  OUTDOOR UNENCLOSED AREA  OTHER (Sparter) DISPLAY BOOTHS, FOIL  AT ONLY ONE UNENCLOCATION  AT A VARIETY OF (Imain) LOCATIONS  OTHER (Sparter)	LOAN TO OTHER CTURE	MORE THAN 15 DAYS  MORE THAN 5 BUT NO LESS THAN 5 DAYS  J. TOUR IS INTENDED TO RUN MORE THAN 6 MONTH  MORE THAN 6 MONTH  LESS THAN 1 MONTH  LESS THAN 1 MONTH  NOT APPLICABLE (****  OTHER (**)***/**  ****************************	BE USED AT ANY ONE LOCATION  OF MORE THAN 15 DAYS  FOR  (S  LIUMING LASER EFFECTS  ECTIONS  CTIONS  AYS  INDIFFRACTION EFFECTS  INDIFFRACTION EFFECTS  STATIONARY MIRRORS OR MIRRORED SURFACES  TION OF ROTATING MIRROR BALLS, ETC.	
B. LASER MEDIUM (AT. 16: No. clic)		TION LEVELS	and the state of t	
SEE ATTACHED LIST *	WAVE LEN	GTHS (RM)	PEAX POWER /Bluns	<del></del>
	,			
20HZ SCAN FREQUENCY AMPLITUDE 6		RATE AND SCANNING FREQUEN	CY AND AMPLITUDE	<del></del>
16 KHZ - 25 KHZ PULSES/SEC. PU	LSE WIDTH 1 M	SEC.		
COMPLIANCE WITH THE LIMITS OF 21 CFR 1040. FIGURE WITH THE LIMITS OF 21 CFR 1040. FIGURE POWER TO THE EXTENT THAT THE DESIRED EFFECTS WITH COTHER OR ADDITIONAL EXPLANATION (Natarity)	DULD RESTRICT THE INTE	NDED USE OF THE PRODUCT BE	Cause compliance would limit the output	

- , WHICH IT IS PROPOSED TO DEVIATE FROM THE REQUIREMENTS OF THE APPLICABLE STANDARD
  , PROPOSED TO DEVIATE FROM THE PROVISIONS OF 21 CFR 1040.11(c) IN THAT THE ACCESSIBLE EMISSION LEVEL WOULD EXCEED THE CESSIBLE EMISSION LIMITS SPECIFIED IN 21 CFR 1040.11(c).

  IT IS PROPOSED TO DEVIATE FROM THE PROVISION OF 21 CFR 1040.11(c) AS FOLLOWS:
- 12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION
  - LASER LIGHT SHOWS AND DISPLAYS ARE ACCEPTED POPULAR MEDIA IN ENTERTAINMENT AND THE ARTS. USE OF POWER LEVELS IN EXCESS OF THE LIMITS IMPOSED BY 21 CFR 1040,11(c) IS NECESSARY TO ACHIEVE THE REQUIRED EFFECTS IN THESE MEDIA.
  - OTHER OR ADDITIONAL ADVANTAGES (describe and explain)
- 13. EXPLAIN THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. ICheck as many boxes as apply, in Item 14 "Remarks," justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)
  - ALL LASER PRODUCTS, SYSTEMS, SHOWS, AND PROJECTORS WILL BE CERTIFIED TO COMPLY WITH 21 CFR 1040.10 AND THE CONDITIONS OF THIS VARIANCE AND WILL BE REPORTED AS REQUIRED BY 21 CFR 1002.10 AND 1002.12 USING THE REPORTING GUIDES PROVIDED FOR SUCH PURPOSE. THESE ACTIONS WILL BE ACCOMPLISHED PRIOR TO ANY INTRODUCTION INTO COMMERCE.
  - b. BEFFECTS NOT SPECIFICALLY INDICATED IN THIS VARIANCE APPLICATION WILL NOT BE PERFORMED. NO OTHER EFFECTS WILL BE ADDED UNTIL AN AMENDMENT TO THE VARIANCE HAS BEEN OBTAINED AND THE REQUIRED REPORTS OR SUPPLEMENTS. AS APPLICABLE, HAVE BEEN SUBMITTED.
  - SCANNING, PROJECTION, OR REFLECTION OF LASER AND COLLATERAL RADIATION (LIGHT SHOW RADIATION) INTO AUDIENCE OR OTHER ACCESSIBLE UNCONTROLLED AREAS WILL NOT BE PERMITTED EXCEPT FOR DIFFUSE REFLECTIONS PRODUCED BY THE ATMOSPHERE, ADDED ATMOSPHERIC SCATTERING MEDIA, AND TARGET SCREENS.
  - d. EASER RADIATION LEVELS IN EXCESS OF THE LIMITS OF CLASS I WILL NOT BE PERMITTED AT ANY POINT LESS THAN 3.0 METERS ABOVE ANY SURFACE UPON WHICH PERSONS OTHER THAN OPERATORS, PERFORMERS, OR EMPLOYEES ARE PERMITTED TO STAND OR 2.5 METERS BELOW OR IN LATERAL SEPARATION FROM ANY PLACE WHERE SUCH PERSONS ARE PERMITTED TO BE. OPERATORS, PERFORMERS, AND EMPLOYEES WILL NOT BE REQUIRED OR ALLOWED TO VIEW RADIATION ABOVE THE LIMITS OF CLASS ) OR BE EXPOSED TO RADIATION ABOVE THE LIMITS SPECIFIED IN 21 CFR 1040.11(c).
  - 8. MAY PRODUCT WHICH RELIES ON SCANNING TO MEET ACCESS, EXPOSURE, OR PRODUCT CLASS LIMITS WILL INCORPORATE A SCANNING SAFEGUARD SYSTEM WHICH DIRECTLY SENSES SCANNER MOTION AND WHICH WILL REACT FAST ENOUGH TO PRECLUDE EXCEEDING THE APPLICABLE LIMIT.
  - I. ALL LASER LIGHT SHOWS SHALL BE UNDER THE DIRECT AND PERSONAL CONTROL OF TRAINED, COMPETENT OPERATOR(S). THE OPERATOR(S) WILL:
    - (1) IMMEDIATELY TERMINATE THE EMMISSION OF LIGHT SHOW RADIATION IN THE EVENT OF ANY UNSAFE CONDITION:
    - (2) BE LOCATED WHERE ALL BEAM PATHS CAN BE DIRECTLY OBSERVED AT ALL TIMES; AND
    - (3) BE AN EMPLOYEE OF THE VARIANCE HOLDER WHO WILL BE RESPONSIBLE FOR THE TRAINING AND CONDUCT OF THE OPERATOR,
  - g. 🔯 THE MAXIMUM LASER PROJECTOR OUTPUT POWER WILL NOT EXCEED THE LEVEL REQUIRED TO OBTAIN THE INTENDED EFFECTS.
  - THE PROJECTION SYSTEM (I.E., THE PROJECTOR AND ALL OTHER COMPONENTS USED TO PRODUCE THE LIGHTING EFFECTS) WILL BE SECURELY MOUNTED OR IMMOBILIZED TO PREVENT UNINTENDED MOVEMENT OR MISALIGNMENT, BEAM LIMITERS WILL BE PROVIDED AS AN INHERENT PART OF THE SYSTEM DESIGN TO PREVENT OVERFILLING OF SCREENS, BEAM STOPS, TARGETS, ETC.
  - I. ILASER PROJECTORS WILL NOT BE DELIVERED TO ANY OTHER PARTY UNDER AN AGREEMENT OF SALE, LEASE, OR LOAN UNLESS AND UNTIL THE RECIPIENT DEMONSTRATES THAT THEY HAVE A VARIANCE IN EFFECT AT THE TIME OF DELIVERY THAT PERMITS THEM TO PRODUCE LASER LIGHT SHOWS INCORPORATING SUCH PROJECTOR.
  - IN ADDITION TO THE REQUIREMENTS OF 21 CFR 1040.10(h), THE MANUFACTURER OF LASER PROJECTORS/SYSTEMS WILL PROVIDE TO PARTIES WHO PURCHASE, LEASE, OR BORROW THE EQUIPMENT, ADEQUATE USER'S INSTRUCTIONS FOR SAFE INSTALLATION AND OPERATION AND WHICH EXPLAIN THE RESPONSIBILITY OF THE RECIPIENT AS AN INDEPENDENT LIGHT SHOW MANUFACTURER TO SUBMIT THE REQUIRED REPORTS AND APPLY FOR AND OBTAIN A VARIANCE FROM CORN PRIOR TO INTRODUCTION INTO COMMERCE OF ANY LASER LIGHT SHOWS.
  - THE REQUIREMENTS OF 21 CFR 1002.30(a)(1) AND (2) WILL BE ACCOMPLISHED THROUGH THE USE OF WRITTEN PROCEDURES FOR SETUP. ALIGNMENT, TESTING, AND PERFORMANCE OF EACH SHOW. THESE PROCEDURES WILL BE IN SUFFICIENT DETAIL TO ENSURE COMPLIANCE WITH 21 CFR 1040.10, THE CONDITIONS OF THIS VARIANCE, AND THE CONTROL OF ACCESS TO RADIATION AREAS USING THE PROCEDURES DESCRIBED IN THE ANSI Z136.1 STANDARD FOR THE SAFE USE OF LASERS (AMERICAN NATIONAL STANDARDS INSTITUTE, 1430 BROADWAY, NEW YORK, NY 1001B) OR ANY OTHER EQUIVALENT USER CONSENSUS STANDARD AND, WHERE APPLICABLE, STATE OR LOCAL REQUIREMENTS, LASER RADIATION AREAS WHICH CAN CONTAIN RADIATION LEVELS ABOVE THE LIMITS SPECIFIED IN 21 CFR 1040.11(c), WILL BE CLEARLY IDENTIFIED BY THE POSTING OF WARNING SIGNS AND/OR RESTRICTING ACCESS TH/90UGH PHYSICAL MEANS (SUCH AS PRESSURE SWITCHES, PHOTOCELLS, BARRIERS, GUARDS, ETC.), THESE REQUIREMENTS APPLY TO TEMPORARY AREAS (SUCH AS DURING SET-UP AND ALIGNMENT PROCEDURES) AND TO FINAL OR PERMANENT AREAS. THE VARIANCE HOLDER WILL RETAIN THE RECORDS OF THESE PROCEDURES AND THE RESULTS OF ALL TESTS AS REQUIRED BY 21 CFR 1002.31. A COPY OF THE VARIANCE APPLICATION, THE APPROVAL LETTER, CURRENT PROCEDURES, AND RECORDS RELATING TO EACH PARTICULAR SHOW WILL BE WITH THE OPERATOR OR OTHER RESPONSIBLE INDIVIDUAL AND WILL BE MADE AVAILABLE FOR INSPECTION BY FDA AND OTHER RESPONSIBLE AUTHORITIES.

ADVANCE WRITTEN NOTIFICATION WILL BE MADE AS EARLY AS POSSIBLE TO APPHOPHIATE FEDERAL, STATE, AND LOCAL ASSISTANCE PROVIDING SHOW ITINERARY WITH DATES AND LOCATIONS CLEARLY AND COMPLETELY IDENTIFIED, AND A BASIC DESCRIPTION OF PROPOSED EFFECTS INCLUDING A STATEMENT OF THE MAXIMUM POWER OUTPUT INTENDED. SUCH NOTIFICATIONS WILL BE MADE, BUT NOT NECESSARILY BE LIMITED, TO:

- (1) THE CENTER FOR DEVICES AND RADIOLOGICAL HEALTH, OFFICE OF COMPLIANCE (HFZ312), 8757 GEORGIA AVE., SILVER SPRING, MD 20910, PROVIDING THE INITIAL AND CLOSING DATES FOR FIXED INSTALLATIONS AND THE ITINERARY FOR MOBILE SHOWS. IN ADDITION, UNLESS ALL ASPECTS OF EACH SHOW HAVE BEEN REPORTED AND THE ACCESSION NUMBERS CLEARLY REFERENCED, EACH NOTICE WILL INCLUDE DETAILED DESCRIPTIONS OF EACH SHOW AND A LISTING OF ALL EFFECTS TO BE PERFORMED IN SUFFICIENT DETAIL TO CONFIRM COMPLIANCE WITH THE REGULATIONS AND THIS VARIANCE.
- (2) THE FEDERAL AVIATION ADMINISTRATION (FAA) FOR ANY PROJECTIONS INTO OPEN AIRSPACE AT ANY TIME (I.E., INCLUDING SET-UP, ALIGNMENT, REHEARSALS, PERFORMANCES, ETC.). IF THE FAA OBJECTS TO ANY LASER EFFECTS, THE OBJECTIONS WILL BE RESOLVED AND ANY CONDITIONS REQUESTED BY FAA WILL BE ADHERED TO, IF THESE CONDITIONS CAN NOT BE MET, THE OBJECTIONABLE EFFECTS WILL BE DELETED FROM THE SHOW.
- (3) STATE AND LOCAL RADIATION CONTROL OFFICES/AGENCIES FOR ALL SHOWS TO BE PERFORMED WITHIN THEIR JURISDICTIONS. ALI REQUIREMENTS OF STATE AND LOCAL LAW WILL BE SATISFIED AND ANY OBJECTIONS RAISED BY LOCAL AUTHORITIES WILL BE RESOLVED OR THE EFFECTS DELETED. (LISTS OF FEDERAL AND STATE OFFICES ARE AVAILABLE FROM THE CENTER FOR DEVICES AND RADIOLOGICAL HEALTH UPON REQUEST.)

14.	REMA	RKS

#### CERTIFICATION

I CERTIFY that all of the above information and statements are true, complete, and correct to the best of my knowledge and acknowledge that my variance application may be denied or my variance may be revoked if this application is found to be false, misleading, or incorrect in any material way. I have submitted and will submit all reports required by 21 CFR 1002.10 and 1002.12 on the laser equipment and show(s). I further understand that I may be required by regulation or by the Director, Center for Devices and Radiological Health, to supply such other information as may be necessary to evaluate and act on this application.

15. SIGNATURE

16, NAME (Type or Print)

RUDI BLONDIA

17. TITLE

LASER SAFETY OFFICER

3

### LASER RADIATION LEVELS

:8-10 w cw (standard)  Krypton Gas :476.2 - 676.4 (nm) :8 w cw (max) :2-6 (standard)  HeNe :633.0 (nm) :100 mw cw  Mixed Gas :488 - 647 (nm) :18 w cw (max)		and the second s	والمراوية والمرا
HeNe   :488 - 647 (nm)   :20 w cw (max)   :8-10 w cw (standard)   :8-10 w cw (standard)   :2-6 (standard)   :2-6 (standard)   :2-6 (standard)   :488 - 647 (nm)   :18 w cw (max)   :18 w cw (max)   :45 w pulsed (max)	Laser Medium	: Wave Lengths	: Peak Power
: :2-6 (standard)  HeNe :633.0 (nm) :100 mw cw  Mixed Gas :488 - 647 (nm) :18 w cw (max)  Yag :532 (nm) :45 w pulsed (max)	Argon Gas	:454.5 - 328.7 (nm) ;	•
Mixed Gas :488 - 647 (nm) :18 w cw (max)  Yag :532 (nm) :45 w pulsed (max)	Krypton Gas	:476.2 - 676.4 (nm) :	
Yag :532 (nm) :45 w pulsed (max)	HeNe	:633.0 (nm)	:100 mw cw
	Mixed Gas	:488 - 647 (nm)	:18 w cw (max)
	Yag	:532 (nm)	

X